



BeatiNeon

2019-2020

LED CHRISTMAS LIGHTING

广东真美灯饰照明股份有限公司
Beatineon Lighting Co., Ltd


广东中山市东升镇为民路108号
No. 108 Wei Min Road, DongSheng Town, ZhongShan City,
GuangDong, China
Tel: 86-760-22320973
Rex@beatineonlighting.com
<http://www.beatineon.com>

COMPANY INTRODUCTION

Beatineon Lighting Co., Ltd was established in 2014, located at Zhongshan City Dongshen Town, high-tech enterprise specializing in LED Christmas decorative lighting and LED indoor/outdoor illumination Lighting. Factory area exceed 40000 square meters, equipped with advanced production and testing facilities, more than 500 workers. 99% of our products are exported to Europe, North America, South East Asia and other countries.

"Superior quality, reasonable price, great reputation, perfect management and prompt services" is our business philosophy and target forever. All of our products are produced according to the highest standard of the industry, with our best trained workers, experienced technicians, dedicated production & sales team and special quality control system, we are ISO9001 certificated, obtained CE, ROHS, GS, ETL, UL certificates for decoration lights.

We Welcome lighting importers and distributors from all over the world to come and visit our factory, Guangdong Beatineon Lighting Co., Ltd will always be your loyal partner in bringing the best quality products to your market.



**OUR
COMPANY**

WORKSHOP



BeatiNeon



QC DEPARTMENT



BeatiNeon

LED CHRISTMAS LIGHTING



CERTIFICATE OF HONOUR



OUR CERTIFICATE



BeatiNeon





BEATINEON LIGHTING GROUP

CHRISTMAS LIGHT CATALOG


PRODUCTS

INTRODUCTION

01	FINAL ASSEMBLY DRAWING	51	LED BATTERY STRING LIGHT PRO 4.5V
02	ACCESSORIES	53	LED REPLACEABLE STRING LIGHT UL 588-E329813
03	LED LIGHT STRING SERIES	55	LED CLIP LIGHT
22	SYNCHRONAZATION RGB LED STRING LIGHT 24V	59	LED BELT LIGHT
25	LED DIGITAL RGB ROPE LIGHT	61	LED BULB
29	LED STRIG LIGHT WITH BALL PRO 230V	62	LED FLASH BULB
39	LED CURTAIN LIGHT PRO 230V	63	LED SNOWFALL TUBE
41	LED WATERFALL LIGHT PRO 230V	69	LED ROPE LIGHT
43	LED ICICLE STRING LIGHT	78	LED STRIP LIGHT WITH BULB
49	LED NET LIGHT	79	LED STRIP LIGHT
		85	LED CHRISTMAS MOTIF


final assembly drawing

Applied To More Places :Commercial Street,Shopping Mall,Hotel,Airport,Garden Etc.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extension Cable Wire Length: 1M

Pin: 2pin/3pin/4pin/5pin




Extension Cable Wire Length: 5M


Pin: 2pin/3pin/4pin/5pin




1 in 4 out connector Length: 50cm
Pin: 2pin




1 in 5 out connector Length: 50cm
Pin: 2pin




1 in 2 out connector Length: 50cm
Pin: 2pin




1 in 3 out connector Length: 50cm
Pin: 2pin



T-shaped connector B Length: 50cm
Pin: 2pin/3pin/4pin/5pin



T-shaped multi-connector A: 10 pcs/110cm
Pin: 2pin




T-shaped multi-connector B: 10 pcs/110cm
Pin: 2pin/3pin/4pin/5pin



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




BeatiNeon

LED STRING
LIGHT

(TYPE-A)


LED-BS(R)-50-5M-24V



LED-BS



LED-BSR



LENGTH **5m**
NO.OF LED **50PCS**
VOLTAGE **24V**
POWER **2.8W**
LED SPACING **10cm**
EXTENDABLE **10set/50m**

STATIC LED PRO 24V

LED-BS(R)-50-5M-24V-W
☐ WHITE LED
LED-BS(R)-50-5M-24V-WW
☐ WARM WHITE LED
LED-BS(R)-50-5M-24V-R
☐ RED LED
LED-BS(R)-50-5M-24V-G
☐ GREEN LED

LED-BS(R)-50-5M-24V-Y
☐ YELLOW LED
LED-BS(R)-50-5M-24V-B
☐ BLUE LED
LED-BS(R)-50-5M-24V-P
☐ PINK LED
LED-BS(R)-50-5M-24V-V
☐ VIOLET LED

LED-BS(R)-100-10M-24V



LENGTH **10m**
NO.OF LED **100PCS**
VOLTAGE **24V**
POWER **5W**
LED SPACING **10cm**
EXTENDABLE **5set/50m**

STATIC LED PRO 24V

LED-BS(R)-100-10M-24V-W
☐ WHITE LED
LED-BS(R)-100-10M-24V-WW
☐ WARM WHITE LED
LED-BS(R)-100-10M-24V-R
☐ RED LED
LED-BS(R)-100-10M-24V-G
☐ GREEN LED

LED-BS(R)-100-10M-24V-Y
☐ YELLOW LED
LED-BS(R)-100-10M-24V-B
☐ BLUE LED
LED-BS(R)-100-10M-24V-P
☐ PINK LED
LED-BS(R)-100-10M-24V-V
☐ VIOLET LED

LED-BS(R)-200-20M-24V



LENGTH **20m**
NO.OF LED **200PCS**
VOLTAGE **24V**
POWER **5W**
LED SPACING **10cm**
EXTENDABLE **2set/40m**

STATIC LED PRO 24V

LED-BS(R)-200-20M-24V-W
☐ WHITE LED
LED-BS(R)-200-20M-24V-WW
☐ WARM WHITE LED
LED-BS(R)-200-20M-24V-R
☐ RED LED
LED-BS(R)-200-20M-24V-G
☐ GREEN LED

LED-BS(R)-200-20M-24V-Y
☐ YELLOW LED
LED-BS(R)-200-20M-24V-B
☐ BLUE LED
LED-BS(R)-200-20M-24V-P
☐ PINK LED
LED-BS(R)-200-20M-24V-V
☐ VIOLET LED

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



(TYPE-B)


LED-BS(R)-50-5M-24V



LED-BS



LED-BSR




LENGTH **5m**
NO.OF LED **50PCS**
VOLTAGE **24V**
POWER **2.8W**
LED SPACING **10cm**
EXTENDABLE **10set/50m**

FLASHING LED 24V

LED-BS(R)-50-5M-24V-W-WF
□ WHITE LED+WHITE FLASHING
LED-BS(R)-50-5M-24V-WW-WF
■ WARM WHITE LED+WHITE FLASHING
LED-BS(R)-50-5M-24V-R-WF
■ RED LED+WHITE FLASHING
LED-BS(R)-50-5M-24V-G-WF
■ GREEN LED+WHITE FLASHING

LED-BS(R)-50-5M-24V-Y-WF
■ YELLOW LED+WHITE FLASHING
LED-BS(R)-50-5M-24V-B-WF
■ BLUE LED+WHITE FLASHING
LED-BS(R)-50-5M-24V-P-WF
■ PINK LED+WHITE FLASHING
LED-BS(R)-50-5M-24V-V-WF
■ VIOLET LED+WHITE FLASHING

LED-BS(R)-100-10M-24V




LENGTH **10m**
NO.OF LED **100PCS**
VOLTAGE **24V**
POWER **5W**
LED SPACING **10cm**
EXTENDABLE **5set/50m**

FLASHING LED 24V

LED-BS(R)-100-10M-24V-W-WF
□ WHITE LED+WHITE FLASHING
LED-BS(R)-100-10M-24V-WW-WF
■ WARM WHITE LED+WHITE FLASHING
LED-BS(R)-100-10M-24V-R-WF
■ RED LED+WHITE FLASHING
LED-BS(R)-100-10M-24V-G-WF
■ GREEN LED+WHITE FLASHING

LED-BS(R)-100-10M-24V-Y-WF
■ YELLOW LED+WHITE FLASHING
LED-BS(R)-100-10M-24V-B-WF
■ BLUE LED+WHITE FLASHING
LED-BS(R)-100-10M-24V-P-WF
■ PINK LED+WHITE FLASHING
LED-BS(R)-100-10M-24V-V-WF
■ VIOLET LED+WHITE FLASHING

LED-BS(R)-200-20M-24V



LENGTH **20m**
NO.OF LED **200PCS**
VOLTAGE **24V**
POWER **9W**
LED SPACING **10cm**
EXTENDABLE **2set/40m**


FLASHING LED 24V

LED-BS(R)-200-20M-24V-W-WF
□ WHITE LED+WHITE FLASHING
LED-BS(R)-200-20M-24V-WW-WF
■ WARM WHITE LED+WHITE FLASHING
LED-BS(R)-200-20M-24V-R-WF
■ RED LED+WHITE FLASHING
LED-BS(R)-200-20M-24V-G-WF
■ GREEN LED+WHITE FLASHING

LED-BS(R)-200-20M-24V-Y-WF
■ YELLOW LED+WHITE FLASHING
LED-BS(R)-200-20M-24V-B-WF
■ BLUE LED+WHITE FLASHING
LED-BS(R)-200-20M-24V-P-WF
■ PINK LED+WHITE FLASHING
LED-BS(R)-200-20M-24V-V-WF
■ VIOLET LED+WHITE FLASHING

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




LED-BS(R)

-1000-20M*5-24V



TYPE-A



LENGTH **20m*5**
NO.OF LED **1000PCS**
VOLTAGE **24V**
POWER **45W**
LED SPACING **10cm**

STATIC LED PRO 24V

LED-BS(R)-1000-20M*5-24V-W

□ WHITE LED

LED-BS(R)-1000-20M*5-24V-WW

■ WARM WHITE LED

LED-BS(R)-1000-20M*5-24V-R

■ RED LED

LED-BS(R)-1000-20M*5-24V-G

■ GREEN LED

LED-BS(R)-1000-20M*5-24V-Y

■ YELLOW LED

LED-BS(R)-1000-20M*5-24V-B

■ BLUE LED


LED-BS(R)-1000-20M*5-24V-P

■ PINK LED

LED-BS(R)-1000-20M*5-24V-V

■ VIOLET LED

TYPE-B



LENGTH **20m*5**
NO.OF LED **1000PCS**
VOLTAGE **24V**
POWER **45W**
LED SPACING **10cm**

FLASHING LED 24V

LED-BS(R)-1000-20M*5-24V-W-WF

□ WHITE LED+WHITE FLASHING

LED-BS(R)-1000-20M*5-24V-WW-WF

■ WARM WHITE LED+WHITE FLASHING

LED-BS(R)-1000-20M*5-24V-R-WF

■ RED LED+WHITE FLASHING

LED-BS(R)-1000-20M*5-24V-G-WF

■ GREEN LED+WHITE FLASHING

LED-BS(R)-1000-20M*5-24V-Y-WF

■ YELLOW LED+WHITE FLASHING

LED-BS(R)-1000-20M*5-24V-B-WF

■ BLUE LED+WHITE FLASHING

LED-BS(R)-1000-20M*5-24V-P-WF

■ PINK LED+WHITE FLASHING

LED-BS(R)-1000-20M*5-24V-V-WF

■ VIOLET LED+WHITE FLASHING

Transformers and Switching Power Supply

**A. Input AC 220-240v, output AC 24V-IP44
waterproof Transformer:**



AC 24V 10VA	AC 24V 15VA
AC 24V 20VA	AC 24V 25VA
AC 24V 30VA	AC 24V 36VA
AC 24V 45VA	AC 24V 50VA
AC 24V 60VA	AC 24V 80VA
AC 24V 100VA	

**B. Input AC 90-265V , Output DC 24V-IP65
waterproof Transformer:**



DC 24V 10W	DC 24V 15W
DC 24V 20W	DC 24V 30W
DC 24V 45W	DC 24V 60W
DC 24V 80W	DC 24V 100W
DC 24V 120W	DC 24V 150W
DC 24V 200W	DC 24V 250W
DC 24V 300W	DC 24V 350W

Transformers and Switching Power Supply

**A. Input AC 220-240v, output AC 24V-IP44
waterproof Transformer:**



AC 24V 10VA	AC 24V 15VA
AC 24V 20VA	AC 24V 25VA
AC 24V 30VA	AC 24V 36VA
AC 24V 45VA	AC 24V 50VA
AC 24V 60VA	AC 24V 80VA
AC 24V 100VA	


**B. Input AC 90-265V , Output DC 24V-IP65
waterproof Transformer:**



DC 24V 10W	DC 24V 15W
DC 24V 20W	DC 24V 30W
DC 24V 45W	DC 24V 60W
DC 24V 80W	DC 24V 100W
DC 24V 120W	DC 24V 150W
DC 24V 200W	DC 24V 250W
DC 24V 300W	DC 24V 350W

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





BeatiNeon

LED STRING LIGHT

(TYPE-A)

LED-BS(R)-50-5M-230V



LED-BS



LED-BSR



LENGTH **5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/100m**

STATIC LED PRO 230V

LED-BS(R)-50-5M-230V-W

□ WHITE LED

LED-BS(R)-50-5M-230V-WW

■ WARM WHITE LED

LED-BS(R)-50-5M-230V-R

■ RED LED

LED-BS(R)-50-5M-230V-G

■ GREEN LED

LED-BS(R)-50-5M-230V-Y

■ YELLOW LED

LED-BS(R)-50-5M-230V-B

■ BLUE LED

LED-BS(R)-50-5M-230V-P

■ PINK LED

LED-BS(R)-50-5M-230V-V

■ VIOLET LED

LED-BS(R) -100-10M-230V



LENGTH **10m**
NO.OF LED **100PCS**
VOLTAGE **230V**
POWER **7W**
LED SPACING **10cm**
EXTENDABLE **10set/150m**

STATIC LED PRO 230V

LED-BS(R)-100-10M-230V-W

□ WHITE LED

LED-BS(R)-100-10M-230V-WW

■ WARM WHITE LED

LED-BS(R)-100-10M-230V-R

■ RED LED

LED-BS(R)-100-10M-230V-G

■ GREEN LED

LED-BS(R)-100-10M-230V-Y

■ YELLOW LED

LED-BS(R)-100-10M-230V-B

■ BLUE LED


LED-BS(R)-100-10M-230V-P

■ PINK LED

LED-BS(R)-100-10M-230V-V

■ VIOLET LED

LED-BS(R) -200-20M-230V



LENGTH **20m**
NO.OF LED **200PCS**
VOLTAGE **230V**
POWER **14W**
LED SPACING **10cm**
EXTENDABLE **10set/200m**

STATIC LED PRO 230V

LED-BS(R)-200-20M-230V-W

□ WHITE LED

LED-BS(R)-200-20M-230V-WW

■ WARM WHITE LED

LED-BS(R)-200-20M-230V-R

■ RED LED

LED-BS(R)-200-20M-230V-G

■ GREEN LED

LED-BS(R)-200-20M-230V-Y

■ YELLOW LED

LED-BS(R)-200-20M-230V-B

■ BLUE LED

LED-BS(R)-200-20M-230V-P

■ PINK LED


LED-BS(R)-200-20M-230V-V

■ VIOLET LED



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





(TYPE-B)


LED-BS(R)-50-5M-230V



LED-BS



LED-BSR



LENGTH **5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/100m**

FLASHING LED 230V

LED-BS(R)-50-5M-230V-WF

□ WHITE LED+WHITE FLASHING

LED-BS(R)-50-5M-230V-WF

■ WARM WHITE LED+WHITE FLASHING

LED-BS(R)-50-5M-230V-R-WF

■ RED LED+WHITE FLASHING

LED-BS(R)-50-5M-230V-G-WF

■ GREEN LED+WHITE FLASHING

LED-BS(R)-50-5M-230V-Y-WF

■ YELLOW LED+WHITE FLASHING

LED-BS(R)-50-5M-230V-B-WF

■ BLUE LED+WHITE FLASHING


LED-BS(R)-50-5M-230V-P-WF

■ PINK LED+WHITE FLASHING

LED-BS(R)-50-5M-230V-V-WF

■ VIOLET LED+WHITE FLASHING

LED-BS(R) -100-10M-230V



LENGTH **10m**
NO.OF LED **100PCS**
VOLTAGE **230V**
POWER **7W**
LED SPACING **10cm**
EXTENDABLE **10set/150m**

FLASHING LED 230V

LED-BS(R)-100-10M-230V-WF

□ WHITE LED+WHITE FLASHING

LED-BS(R)-100-10M-230V-WF

■ WARM WHITE LED+WHITE FLASHING

LED-BS(R)-100-10M-230V-R-WF

■ RED LED+WHITE FLASHING

LED-BS(R)-100-10M-230V-G-WF

■ GREEN LED+WHITE FLASHING

LED-BS(R)-100-10M-230V-Y-WF

■ YELLOW LED+WHITE FLASHING

LED-BS(R)-100-10M-230V-B-WF

■ BLUE LED+WHITE FLASHING

LED-BS(R)-100-10M-230V-P-WF


■ PINK LED+WHITE FLASHING

LED-BS(R)-100-10M-230V-V-WF


■ VIOLET LED+WHITE FLASHING

POWER CORD


A. IP20 PLUG + 1.5 M POWER CORD + 2 PIN FEMALE CONNECTOR;
MAXIMUM LOAD 300W:




B. IP44 PLUG + 1.5 M POWER CORD + 2 PIN FEMALE CONNECTOR;
MAXIMUM LOAD 300W:



C. 2-PIN AUSTRALIA PLUG + 1.5 M POWER CORD + 2 PIN FEMALE
CONNECTOR: MAXIMUM LOAD 300W:



D. BS PLUG + 1.5 M POWER CORD + 2 PIN FEMALE CONNECTOR;
MAXIMUM LOAD 300W :



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.


Image and drawing are for demonstration purposes only.






BeatiNeon

LED TWINKLE
LIGHT STRING



LED-BW(R) -100-10M-24V



LENGTH **10m**
NO.OF LED **100PCS**
VOLTAGE **24V**
POWER **5W**
LED SPACING **10cm**
PRODUCT MIXIURE **2CIRCUIT**
EFFECT **8EFFECTS**
EXTENDABLE **5set/50m**

DYNAMIC LED PRO 24V

LED-BW(R)-100-10M-24V-W WHITE LED	LED-BW(R)-100-10M-24V-Y YELLOW LED
LED-BW(R)-100-10M-24V-WW WARM WHITE LED	LED-BW(R)-100-10M-24V-B BLUE LED
LED-BW(R)-100-10M-24V-R RED LED	LED-BW(R)-100-10M-24V-P PINK LED
LED-BW(R)-100-10M-24V-G GREEN LED	LED-BW(R)-100-10M-24V-V VIOLET LED




LED-BW



LED-BWR

LED-BW(R) -200-20M-24V




LENGTH **20m**
NO.OF LED **200PCS**
VOLTAGE **24V**
POWER **10.8W**
LED SPACING **10cm**
PRODUCT MIXIURE **2CIRCUIT**
EFFECT **8EFFECTS**
EXTENDABLE **2set/40m**

DYNAMIC LED PRO 24V

LED-BW(R)-200-20M-24V-W WHITE LED	LED-BW(R)-200-20M-24V-Y YELLOW LED
LED-BW(R)-200-20M-24V-WW WARM WHITE LED	LED-BW(R)-200-20M-24V-B BLUE LED
LED-BW(R)-200-20M-24V-R RED LED	LED-BW(R)-200-20M-24V-P PINK LED
LED-BW(R)-200-20M-24V-G GREEN LED	LED-BW(R)-200-20M-24V-V VIOLET LED

LED-BW(R) -600-20Mx3-24V



LENGTH **20*3m**
NO.OF LED **600PCS**
VOLTAGE **24V**
POWER **32W**
LED SPACING **10cm**
PRODUCT MIXIURE **2CIRCUIT**
EFFECT **8EFFECTS**

DYNAMIC LED PRO 24V

LED-BW(R)-600-20M-24V-W WHITE LED	LED-BW(R)-600-20M-24V-Y YELLOW LED
LED-BW(R)-600-20M-24V-WW WARM WHITE LED	LED-BW(R)-600-20M-24V-B BLUE LED
LED-BW(R)-600-20M-24V-R RED LED	LED-BW(R)-600-20M-24V-P PINK LED
LED-BW(R)-600-20M-24V-G GREEN LED	LED-BW(R)-600-20M-24V-V VIOLET LED

A. Input AC 220-240v, output AC 24V-IP44 waterproof Transformer:

AC 24V 10VA	AC 24V 15VA
AC 24V 20VA	AC 24V 25VA
AC 24V 30VA	AC 24V 36VA
AC 24V 45VA	AC 24V 50VA
AC 24V 60VA	AC 24V 80VA
AC 24V 100VA	




1) IP44 CONTROLLER
INPUT VOLTAGE : AC24V
OUTPUT VOLTAGE : DC24V
MAXIMUM LOAD CURRENT : 1A

2) IP67 CONTROLLER
INPUT VOLTAGE : AC24V
OUTPUT VOLTAGE : DC24V
MAXIMUM LOAD CURRENT : 2A




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED-BW(R) -100-10M-230V




LENGTH **10m**
NO.OF LED **100PCS**
VOLTAGE **230V**
POWER **7W**
LED SPACING **10cm**
PRODUCT MIXIURE **2CIRCUIT**
EFFECT **8EFFECTS**
EXTENDABLE **20set/200m**

DYNAMIC LED PRO 230V (TYPE-A)

- LED-BW(R)-100-10M-230V-W**
☐ WHITE LED
- LED-BW(R)-100-10M-230V-WW**
☐ WARM WHITE LED
- LED-BW(R)-100-10M-230V-R**
☐ RED LED
- LED-BW(R)-100-10M-230V-G**
☐ GREEN LED
- LED-BW(R)-100-10M-230V-Y**
☐ YELLOW LED
- LED-BW(R)-100-10M-230V-B**
☐ BLUE LED
- LED-BW(R)-100-10M-230V-P**
☐ PINK LED
- LED-BW(R)-100-10M-230V-V**
☐ VIOLET LED

LED-BW(R) -200-20M-230V




LENGTH **20m**
NO.OF LED **200PCS**
VOLTAGE **230V**
POWER **14W**
LED SPACING **10cm**
PRODUCT MIXIURE **2CIRCUIT**
EFFECT **8EFFECTS**
EXTENDABLE **10set/200m**

DYNAMIC LED PRO 230V

- LED-BW(R)-200-20M-230V-W**
☐ WHITE LED
- LED-BW(R)-200-20M-230V-WW**
☐ WARM WHITE LED
- LED-BW(R)-200-20M-230V-R**
☐ RED LED
- LED-BW(R)-200-20M-230V-G**
☐ GREEN LED
- LED-BW(R)-200-20M-230V-Y**
☐ YELLOW LED
- LED-BW(R)-200-20M-230V-B**
☐ BLUE LED
- LED-BW(R)-200-20M-230V-P**
☐ PINK LED
- LED-BW(R)-200-20M-230V-V**
☐ VIOLET LED

CONTROLLER




- 1) IP44 CONTROLLER**
INPUT VOLTAGE : AC230V
OUTPUT VOLTAGE : DC230V
MAXIMUM LOAD CURRENT : 1A
- 2) IP67 CONTROLLER**
INPUT VOLTAGE : AC230V
OUTPUT VOLTAGE : DC230V
MAXIMUM LOAD CURRENT : 2A

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




BeatiNeon




BeatiNeon

LED-BS -60-6M-24V-RGB



LENGTH **6m**
NO.OF LED **60PCS**
VOLTAGE **24V**
POWER **7W**
LED SPACING **10cm**
EFFECT **19EFFECTS**
EXTENDABLE **3set/18m**




SYNCHRONAZATION RGB LED STRING LIGHT 24V

LED-BS-60-60M-24V-RGB
3 IN 1 RGB LED




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED-BC -96-2.3*0.6M-24V-RGB




SIZE(L*H) **2.3*0.6m**
NO.OF LED **96PCS**
VOLTAGE **24V**
POWER **7W**
LED SPACING **10cm**
STRING DISTANCE **10cm**
EFFECT **19EFFECTS**
EXTENDABLE **2set/4.6m**



SYNCHRONAZATION RGB LED STRING LIGHT 24V

LED-BC-96-2.3*0.6M-24V-RGB
3 IN 1 RGB LED

LED-BS -90-1.4*0.6M-24V-RGB




SIZE(L*H) **1.4*0.6m**
NO.OF LED **90PCS**
VOLTAGE **24V**
POWER **11.2W**
LED SPACING **10cm**
STRING DISTANCE **10cm**
EFFECT **19EFFECTS**
EXTENDABLE **2set/2.8m**

SYNCHRONAZATION RGB LED STRING LIGHT 24V


LED-BS-90-1.4*0.6M-24V-RGB
3 IN 1 RGB LED

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




LED-BN-2W-5(10)M-24V-RGB



LENGTH 5m	LENGTH 10m
NO.OF LED 90PCS	NO.OF LED 180PCS
VOLTAGE 24V	VOLTAGE 24V
POWER 12W	POWER 24W
LED SPACING 5.5cm	LED SPACING 5.5cm
EFFECT 19EFFECTS	EFFECT 19EFFECTS

SYNCHRONAZATION RGB LED ROPE LIGHT 24V

LED-BN-2W-XXM-24V-RGB
3 IN 1 RGB LED




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED-BN-2W-5(10)M-24V-RGB



LENGTH 5m	LENGTH 10m
NO.OF LED 100PCS	NO.OF LED 200PCS
VOLTAGE 24V	VOLTAGE 24V
POWER 12W	POWER 24W
LED SPACING 5.5cm	LED SPACING 5.5cm
EFFECT 14EFFECTS	EFFECT 19EFFECTS

REMOTE CONTROL RGB LED ROPE LIGHT 24V

LED-BN-2W-XXM-24V-RGB
3 IN 1 RGB LED
TRANSPARENT CABLE



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.






BeatiNeon

LED STRING LIGHT
WITH BALL

LED-BS-50-5M

-230V-13mm



LENGTH **5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/100m**




LED STRIG LIGHT WITH BALL PRO 230V

LED-BS-XXX-XXM -230V-13mm-RGB RGB LED	LED-BS-XXX-XXM -230V-13mm-Y YELLOW LED	LED-BS-XXX-XXM -230V-13mm-R RED LED
LED-BS-XXX-XXM -230V-13mm-W WHITE LED	LED-BS-XXX-XXM -230V-13mm-B BLUE LED	LED-BS-XXX-XXM -230V-13mm-G GREEN LED
LED-BS-XXX-XXM -230V-13mm-WW WARM WHITE LED	LED-BS-XXX-XXM -230V-13mm-P PINK LED	LED-BS-XXX-XXM -230V-13mm-V VIOLET LED

LED-BS-100-10M

-230V-13mm

LENGTH **10m**
NO.OF LED **100PCS**
VOLTAGE **230V**
POWER **7W**
LED SPACING **10cm**
EXTENDABLE **15set/150m**




LED STRIG LIGHT WITH BALL PRO 230V

LED-BS-XXX-XXM -230V-13mm-RGB RGB LED	LED-BS-XXX-XXM -230V-13mm-Y YELLOW LED	LED-BS-XXX-XXM -230V-13mm-R RED LED
LED-BS-XXX-XXM -230V-13mm-W WHITE LED	LED-BS-XXX-XXM -230V-13mm-B BLUE LED	LED-BS-XXX-XXM -230V-13mm-G GREEN LED
LED-BS-XXX-XXM -230V-13mm-WW WARM WHITE LED	LED-BS-XXX-XXM -230V-13mm-P PINK LED	LED-BS-XXX-XXM -230V-13mm-V VIOLET LED




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED-BS-50-7.5M -230V-17mm

LENGTH **7.5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/150m**



LED-BS-100-15M -230V-17mm

LENGTH **15m**
NO.OF LED **100PCS**
VOLTAGE **230V**
POWER **7W**
LED SPACING **10cm**
EXTENDABLE **15set/150m**

LED STRIG LIGHT WITH BALL PRO 230V

**LED-BS-XXX-XXM
-230V-17mm-RGB**
RGB LED

**LED-BS-XXX-XXM
-230V-17mm-W**
WHITE LED

**LED-BS-XXX-XXM
-230V-17mm-WW**
WARM WHITE LED

**LED-BS-XXX-XXM
-230V-17mm-Y**
YELLOW LED

**LED-BS-XXX-XXM
-230V-17mm-B**
BLUE LED


**LED-BS-XXX-XXM
-230V-17mm-P**
PINK LED

**LED-BS-XXX-XXM
-230V-17mm-R**
RED LED

**LED-BS-XXX-XXM
-230V-17mm-G**
GREEN LED

**LED-BS-XXX-XXM
-230V-17mm-V**
VIOLET LED

LED-BS(R)-50-7.5M -230V-23mm



LENGTH **7.5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/150m**



LED STRIG LIGHT WITH BALL PRO 230V

**LED-BS(R)-50-7.5M
-230V-23mm-RGB**
RGB LED

**LED-BS(R)-50-7.5M
-230V-23mm-Y**
YELLOW LED

**LED-BS(R)-50-7.5M
-230V-23mm-R**
RED LED

**LED-BS(R)-50-7.5M
-230V-23mm-W**
WHITE LED

**LED-BS(R)-50-7.5M
-230V-23mm-B**
BLUE LED

**LED-BS(R)-50-7.5M
-230V-23mm-G**
GREEN LED

**LED-BS(R)-50-7.5M
-230V-23mm-WW**
WARM WHITE LED

**LED-BS(R)-50-7.5M
-230V-23mm-P**
PINK LED

**LED-BS(R)-50-7.5M
-230V-23mm-V**
VIOLET LED

LED-BS-100-15M -230V-23mm

LENGTH **15m**
NO.OF LED **100PCS**
VOLTAGE **230V**
POWER **7W**
LED SPACING **10cm**
EXTENDABLE **15set/150m**



LED STRIG LIGHT WITH BALL PRO 230V

**LED-BS(R)-100-15M
-230V-23mm-RGB**
RGB LED

**LED-BS(R)-100-15M
-230V-23mm-Y**
YELLOW LED

**LED-BS(R)-100-15M
-230V-23mm-R**
RED LED

**LED-BS(R)-100-15M
-230V-23mm-W**
WHITE LED

**LED-BS(R)-1000-15M
-230V-23mm-B**
BLUE LED

**LED-BS(R)-100-15M
-230V-23mm-G**
GREEN LED

**LED-BS(R)-100-15M
-230V-23mm-WW**
WARM WHITE LED

**LED-BS(R)-100-15M
-230V-23mm-P**
PINK LED

**LED-BS(R)-100-15M
-230V-23mm-V**
VIOLET LED

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED-BS(R)-25-5M -230V-38mm




LENGTH **5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/125m**

LED STRIG LIGHT WITH BALL PRO 230V

LED-BS(R)-25-5M -230V-38mm-RGB RGB LED	LED-BS(R)-25-5M -230V-38mm-Y YELLOW LED	LED-BS(R)-25-5M -230V-38mm-R RED LED
LED-BS(R)-25-5M -230V-38mm-W WHITE LED	LED-BS(R)-25-5M -230V-38mm-B BLUE LED	LED-BS(R)-25-5M -230V-38mm-G GREEN LED
LED-BS(R)-25-5M -230V-38mm-WW WARM WHITE LED	LED-BS(R)-25-5M -230V-38mm-P PINK LED	LED-BS(R)-25-5M -230V-38mm-V VIOLET LED



LED-BS(R)-25-5M -230V-48mm



LENGTH **5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/125m**


LED STRIG LIGHT WITH BALL PRO 230V

LED-BS(R)-25-5M -230V-48mm-RGB RGB LED TRANSPARENT CABLE	LED-BS(R)-25-5M -230V-48mm-Y YELLOW LED TRANSPARENT CABLE	LED-BS(R)-25-5M -230V-48mm-R RED LED TRANSPARENT CABLE
LED-BS(R)-25-5M -230V-48mm-W WHITE LED TRANSPARENT CABLE	LED-BS(R)-25-5M -230V-48mm-B BLUE LED TRANSPARENT CABLE	LED-BS(R)-25-5M -230V-48mm-G GREEN LED TRANSPARENT CABLE
LED-BS(R)-25-5M -230V-48mm-WW WARM WHITE LED TRANSPARENT CABLE	LED-BS(R)-25-5M -230V-48mm-P PINK LED TRANSPARENT CABLE	LED-BS(R)-25-5M -230V-48mm-V VIOLET LED TRANSPARENT CABLE




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED-BS(R)-50-7.5M -230V-C7

LENGTH **7.5m**
NO.OF LED **50PCS**
VOLTAGE **230V**
POWER **3.5W**
LED SPACING **10cm**
EXTENDABLE **20set/150m**



LED-BS(R)-100-15M -230V-C7

LENGTH **15m**
NO.OF LED **100PCS**
VOLTAGE **230V**
POWER **7W**
LED SPACING **10cm**
EXTENDABLE **10set/150m**



LED STRIG LIGHT WITH BALL PRO 230V

**LED-BS(R)-XXX-XXM
-230V-C7-RGB**

RGB LED

**LED-BS(R)-XXX-XXM
-230V-C7-Y**

YELLOW LED

**LED-BS(R)-XXX-XXM
-230V-C7-R**

RED LED

**LED-BS(R)-XXX-XXM
-230V-C7-W**

WHITE LED

**LED-BS(R)-XXX-XXM
-230V-C7-B**

BLUE LED

**LED-BS(R)-XXX-XXM
-230V-C7-G**

GREEN LED

**LED-BS(R)-XXX-XXM
-230V-C7-WW**

WARM WHITE LED

**LED-BS(R)-XXX-XXM
-230V-C7-P**


PINK LED

**LED-BS(R)-XXX-XXM
-230V-C7-V**

VIOLET LED



LED-BS(R)-30-10M-230V-G45



LENGTH **10m**
NO.OF LED **180PCS**
VOLTAGE **230V**
POWER **10.58W**
LED SPACING **33.3cm**
EXTENDABLE **15set/150m**

LED G45 BALL STRING PRO 230V

领先的G45球线

LED-BS(R)-30-70M-230V-G45

WHITE LED

LED-BS(R)-30-10M-230V-G45

WARM WHITE LED


Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



BeatiNeon


BeatiNeon

LED CURTAIN
LIGHT

BeatiNeon


LED-BP-1920-2*1.5M-230V

SIZE(L*H) **2*1.5m**
NO.OF LED **380PCS**
VOLTAGE **24V**
POWER **70W**
LED SPACING **7.9cm**
STRING DISTANCE **10cm**
EXTENDABLE **5set/10m**




LED-BP-3720-2*3M-230V

SIZE(L*H) **2*3m**
NO.OF LED **740PCS**
VOLTAGE **230V**
POWER **70W**
LED SPACING **8.1cm**
STRING DISTANCE **10cm**
EXTENDABLE **5set/10m**




LED-BP(R)-5720-2*6M-230V

SIZE(L*H) **2*6m**
NO.OF LED **1140PCS**
VOLTAGE **230V**
POWER **70W**
LED SPACING **10.5cm**
STRING DISTANCE **10cm**
EXTENDABLE **5set/10m**



LED-BP(R)-9020-2*9M-230V

SIZE(L*H) **2*9m**
NO.OF LED **1800PCS**
VOLTAGE **230V**
POWER **70W OR 140W**
LED SPACING **10cm**
STRING DISTANCE **10cm**
EXTENDABLE **5set/10m OR 2set/4m**



LED CURTAIN LIGHT PRO 230V

STATIC LED

LED-BP(R)-9020-2*9M-230V-W

WHITE LED

LED-BP(R)-9020-2*9M-230V-WW

WARM WHITE LED

LED-BP(R)-9020-2*9M-230V-R

RED LED

LED-BP(R)-9020-2*9M-230V-G

GREEN LED

LED-BP(R)-9020-2*9M-230V-Y

YELLOW LED

LED-BP(R)-9020-2*9M-230V-B

BLUE LED

LED-BP(R)-9020-2*9M-230V-P

PINK LED

LED-BP(R)-9020-2*9M-230V-V

VIOLET LED

FLASHING LED

LED-BP(R)-9020-2*9M-230V-WF

WHITE LED+WHITE FLASHING

LED-BP(R)-9020-2*9M-230V-WF

WARM WHITE LED+WHITE FLASHING

LED-BP(R)-9020-2*9M-230V-R-WF

RED LED+WHITE FLASHING

LED-BP(R)-9020-2*9M-230V-G-WF

GREEN LED+WHITE FLASHING

LED-BP(R)-9020-2*9M-230V-Y-WF

YELLOW LED+WHITE FLASHING

LED-BP(R)-9020-2*9M-230V-B-WF


BLUE LED+WHITE FLASHING

LED-BP(R)-9020-2*9M-230V-P-WF

PINK LED+WHITE FLASHING


LED-BP(R)-9020-2*9M-230V-V-WF

VIOLET LED+WHITE FLASHING




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.


Image and drawing are for demonstration purposes only.





Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.






TYPE-A



TYPE-B



LED-BF(R)-900-1.5*3M-230V

SIZE(L*H) **1.5*3m**
NO.OF LED **900PCS**
VOLTAGE **230V**
POWER **155W**
LED SPACING **5cm**
STRING DISTANCE **10cm**
EXTENDABLE **3set/4.5m**

LED WATERFALL LIGHT PRO 230V

LED-BF(R)-900-1.5*3M-230V-W

WHITE LED

LED-BF(R)-900-1.5*3M-230V-WW

WARM WHITE LED

LED-BF(R)-900-1.5*3M-230V-R

RED LED

LED-BF(R)-900-1.5*3M-230V-G

GREEN LED

LED-BF(R)-900-1.5*3M-230V-Y

YELLOW LED

LED-BF(R)-900-1.5*3M-230V-B

BLUE LED

LED-BF(R)-900-1.5*3M-230V-P

PINK LED

LED-BF(R)-900-1.5*3M-230V-V

VIOLET LED

LED-BF(R) -1560-2*4M-230V

SIZE(L*H) **2*4m**
NO.OF LED **1560PCS**
VOLTAGE **230V**
POWER **210W**
LED SPACING **5.1cm**
STRING DISTANCE **10cm**
EXTENDABLE **2set/4m**

LED WATERFALL LIGHT PRO 230V

LED-BF(R)-1560-2*4M-230V-W

WHITE LED

LED-BF(R)-1560-2*4M-230V-WW

WARM WHITE LED

LED-BF(R)-1560-2*4M-230V-R

RED LED

LED-BF(R)-1560-2*4M-230V-G

GREEN LED

LED-BF(R)-1560-2*4M-230V-Y

YELLOW LED

LED-BF(R)-1560-2*4M-230V-B

BLUE LED

LED-BF(R)-1560-2*4M-230V-P

PINK LED

LED-BF(R)-1560-2*4M-230V-V

VIOLET LED

LED-BF(R) -2400-2*6M-230V

SIZE(L*H) **2*6m**
NO.OF LED **2400PCS**
VOLTAGE **230V**
POWER **210W**
LED SPACING **5cm**
STRING DISTANCE **10cm**
EXTENDABLE **2set/6m**

LED WATERFALL LIGHT PRO 230V

LED-BF(R)-2400-2*6M-230V-W

WHITE LED

LED-BF(R)-2400-2*6M-230V-WW

WARM WHITE LED

LED-BF(R)-2400-2*6M-230V-R

RED LED

LED-BF(R)-2400-2*6M-230V-G

GREEN LED

LED-BF(R)-2400-2*6M-230V-Y

YELLOW LED

LED-BF(R)-2400-2*6M-230V-B


BLUE LED

LED-BF(R)-2400-2*6M-230V-P

PINK LED


LED-BF(R)-2400-2*6M-230V-V

VIOLET LED




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.






LED ICICLE STRING LIGHT


LED-BC(R)-80-2*0.6M-230V

SIZE(L*H) **2*0.6m**
 NO.OF LED **80PCS**
 VOLTAGE **230V**
 POWER **3.5W**
 SEQUENCE **3,5,6,4,2----**
 LED SPACING **10cm**
 STRING DISTANCE **10.5cm**
 EXTENDABLE **20set/40m**




LED-BC(R)-150-3*0.7M-230V

SIZE(L*H) **3*0.7m**
 NO.OF LED **150PCS**
 VOLTAGE **230V**
 POWER **7W**
 SEQUENCE **3,4,6,7,5----**
 LED SPACING **10cm**
 STRING DISTANCE **10.35cm**
 EXTENDABLE **20set/40m**




LED-BC(R)-112-3*0.5M-230V

SIZE(L*H) **3*0.5m**
 NO.OF LED **112PCS**
 VOLTAGE **230V**
 POWER **7W**
 SEQUENCE **2,3,4,6----**
 LED SPACING **10cm**
 STRING DISTANCE **10.5cm**
 EXTENDABLE **20set/60m**




LED-BC(R)-210-4.5*0.7M-230V

SIZE(L*H) **4.5*0.7m**
 NO.OF LED **210PCS**
 VOLTAGE **230V**
 POWER **10.5W**
 SEQUENCE **2,5,7,5,2----**
 LED SPACING **10cm**
 STRING DISTANCE **10.5cm**
 EXTENDABLE **15set/67.5m**




LED-BC(R)-144-3*0.9M-230V

SIZE(L*H) **3*0.9m**
 NO.OF LED **144PCS**
 VOLTAGE **230V**
 POWER **7W**
 SEQUENCE **2,6,3,9,4-----**
 LED SPACING **10cm**
 STRING DISTANCE **10.5cm**
 EXTENDABLE **20set/60m**




LED-BC(R)-504-5*1.5M-230V

SIZE(L*H) **5*1.5m**
 NO.OF LED **504PCS**
 VOLTAGE **230V**
 POWER **28W**
 SEQUENCE **6,9,12,15,12,9-----**
 LED SPACING **10cm**
 STRING DISTANCE **9cm**
 EXTENDABLE **6set/30m**




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




LED-BC-91-3*0.46M-230V -SNOW FLAKE

SIZE(L*H) **3*0.46m**
NO.OF LED **91PCS**
VOLTAGE **230V**
POWER **7W**
STRING DISTANCE **50cm**
EXTENDABLE **20set/60m**




LED-BC-105-3*0.46M-230V -STAR(A)

SIZE(L*H) **3*0.46m**
NO.OF LED **105PCS**
VOLTAGE **230V**
POWER **7W**
STRING DISTANCE **50cm**
EXTENDABLE **20set/60m**




LED-BC-105-3*0.48M-230V -STAR(B)

SIZE(L*H) **3*0.48m**
NO.OF LED **105PCS**
VOLTAGE **230V**
POWER **7W**
STRING DISTANCE **50cm**
EXTENDABLE **20set/60m**



LED-BC-140-3*0.48M-230V -MOON

SIZE(L*H) **3*0.48m**
NO.OF LED **140PCS**
VOLTAGE **230V**
POWER **7W**
STRING DISTANCE **50cm**
EXTENDABLE **20set/60m**



LED ICICLE STRING LIGHT PRO 230V

STATIC LED

LED-BC(R)-XXX-X*XM-230V-W

□ WHITE LED

LED-BC(R)-XXX-X*XM-230V-WW

■ WARM WHITE LED

LED-BC(R)-XXX-X*XM-230V-R

■ RED LED

LED-BC(R)-XXX-X*XM-230V-G

■ GREEN LED

LED-BC(R)-XXX-X*XM-230V-Y

■ YELLOW LED

LED-BC(R)-XXX-X*XM-230V-B

■ BLUE LED

LED-BC(R)-XXX-X*XM-230V-P

■ PINK LED

LED-BS(R)-XXX-X*XM-230V-V

■ VIOLET LED

FLASHING LED

LED-BC(R)-XXX-X*XM-230V-WF

□ WHITE LED+WHITE FLASHING

LED-BC(R)-XXX-X*XM-230V-WF

■ WARM WHITE LED+WHITE FLASHING

LED-BC(R)-XXX-X*XM-230V-R-WF

■ RED LED+WHITE FLASHING

LED-BC(R)-XXX-X*XM-230V-G-WF

■ GREEN LED+WHITE FLASHING

LED-BC(R)-XXX-X*XM-230V-Y-WF

■ YELLOW LED+WHITE FLASHING

LED-BC(R)-XXX-X*XM-230V-B-WF


■ BLUE LED+WHITE FLASHING

LED-BC(R)-XXX-X*XM-230V-P-WF

■ PINK LED+WHITE FLASHING


LED-BS(R)-XXX-X*XM-230V-V-WF

■ VIOLET LED+WHITE FLASHING



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.






BeatiNeon

LED NET LIGHT

Product line diagram



LED-BG(R)-120-1.8*1.2M-230V

SIZE(L*H) **1.8*1.2m**
NO.OF LED **120PCS**
VOLTAGE **230V**
POWER **7W**
EXTENDABLE **20set/36m**

LED-BG(R)-192-2*1.5M-230V

SIZE(L*H) **2*1.5m**
NO.OF LED **192PCS**
VOLTAGE **230V**
POWER **14W**
EXTENDABLE **10set/20m**



LED-BG

LED-BG(R)-320-3*1.5M-230V

SIZE(L*H) **3*1.5m**
NO.OF LED **320PCS**
VOLTAGE **230V**
POWER **14W**
EXTENDABLE **10set/30m**



LED-BGR

LED-BG(R) -384-2*3M-230V

SIZE(L*H) **2*3m**
NO.OF LED **384PCS**
VOLTAGE **230V**
POWER **28W**
EXTENDABLE **6set/12m**

LED-BG(R) -432-3*2M-230V

SIZE(L*H) **3*2m**
NO.OF LED **432PCS**
VOLTAGE **230V**
POWER **21W**
EXTENDABLE **10set/30m**

LED-BG(R) -540-3*3M-230V

SIZE(L*H) **3*3m**
NO.OF LED **540PCS**
VOLTAGE **230V**
POWER **31.5W**
EXTENDABLE **6set/18m**

LED NET LIGHT PRO 230V

LED-BG(R)-XXX-X*XM-230V-W
□ WHITE LED

LED-BG(R)-XXX-X*XM-230V-Y
■ YELLOW LED

LED-BG(R)-XXX-X*XM-230V-WW
■ WARM WHITE LED

LED-BG(R)-XXX-X*XM-230V-B
■ BLUE LED

LED-BG(R)-XXX-X*XM-230V-R
■ RED LED
■ TRANSPARENT CABLE

LED-BG(R)-XXX-X*XM-230V-P
■ PINK LED

LED-BG(R)-XXX-X*XM-230V-G
■ GREEN LED

LED-BG(R)-XXX-X*XM-230V-V
■ VIOLET LED



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





LED-BSB -10-1-4.5V

LENGTH **1m**
NO.OF LED **10PCS**
VOLTAGE **4.5V(AA*3)**
LED-SPACING **10cm**

LED-BSB -30-3-4.5V

LENGTH **3m**
NO.OF LED **30PCS**
VOLTAGE **4.5V(AA*3)**
LED-SPACING **10cm**

LED-BSB -20-2-4.5V



LENGTH **2m**
NO.OF LED **20PCS**
VOLTAGE **4.5V(AA*3)**
LED-SPACING **10cm**

LED-BSB -40-4-4.5V

LENGTH **4m**
NO.OF LED **40PCS**
VOLTAGE **4.5V(AA*3)**
LED-SPACING **10cm**

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED BATTERY STRING LIGHT PRO 4.5V

LED-BSB-XX-XM-4.5V-W

□ WHITE LED
TRANSPARENT CABLE

LED-BSB-XX-XM-4.5V-WW

■ WARM WHITE LED
TRANSPARENT CABLE

LED-BSB-XX-XM-4.5V-R

■ RED LED
TRANSPARENT CABLE

LED-BSB-XX-XM-4.5V-G

■ GREEN LED
TRANSPARENT CABLE

LED-BSB-XX-XM-4.5V-Y

■ YELLOW LED
TRANSPARENT CABLE

LED-BSB-XX-XM-4.5V-B

■ BLUE LED
TRANSPARENT CABLE

LED-BSB-XX-XM-4.5V-P

■ PINK LED
TRANSPARENT CABLE


LED-BSB-XX-XM-4.5V-V

■ VIOLET LED
TRANSPARENT CABLE




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




LED battery string light UL588-E329813

Changeable ornament:



Product line diagram



List of decorations


Cover Description	Cover Nomenclature	Cover Description	Cover Nomenclature
Diamond	DI	Snowflake	SF
Icicle	IC	Pinecone	PC
Strawberry	SB	Round ball	RB
Pentagon	PT		



Specification:

Item No	Voltage	LED color	No.Of LEDs	Length (inch)	current	watts	Application
LED-B5-25/1N3AXX	120V	R/G/Y/B/W/WW/P	25	100"	0.02A	2.4W	Indoor/Outdoor
LED-B5-35/1N3AXX	120V	R/G/Y/B/W/WW/P	35	140"	0.02A	2.4W	Indoor/Outdoor
LED-B5-50/2N3AXX	120V	R/G/Y/B/W/WW/P	50	200"	0.04A	4.8W	Indoor/Outdoor
LED-B5-70/2N3AXX	120V	R/G/Y/B/W/WW/P	70	280"	0.04A	4.8W	Indoor/Outdoor
LED-B5-75/3N3AXX	120V	R/G/Y/B/W/WW/P	75	300"	0.06A	7.2W	Indoor/Outdoor
LED-B5-100/4N3AXX	120V	R/G/Y/B/W/WW/P	100	400"	0.08A	9.6W	Indoor/Outdoor
LED-B5-105/3N3AXX	120V	R/G/Y/B/W/WW/P	105	420"	0.06A	7.2W	Indoor/Outdoor
LED-B5-125/5N3AXX	120V	R/G/Y/B/W/WW/P	125	500"	0.1A	12W	Indoor/Outdoor
LED-B5-140/4N3AXX	120V	R/G/Y/B/W/WW/P	140	560"	0.08A	9.6W	Indoor/Outdoor
LED-B5-150/6N3AXX	120V	R/G/Y/B/W/WW/P	150	600"	0.12A	14.4W	Indoor/Outdoor
LED-B5-175/5N3AXX	120V	R/G/Y/B/W/WW/P	175	700"	0.1A	12W	Indoor/Outdoor
LED-B5-210/6N3AXX	120V	R/G/Y/B/W/WW/P	210	840"	0.12A	14.4W	Indoor/Outdoor


LED Replaceable icicle light UL 588-E329813



Specification:

Item No	Voltage	LED color	No.Of LEDs	horizontal space/ vertical space	current	watts	Application
LED-BI-25/1N3AXX	120V	R/G/Y/B/W/WW/P	25	4"/4"	0.02A	2.4W	Indoor/Outdoor
LED-BI-35/1N3AXX	120V	R/G/Y/B/W/WW/P	35	4"/4"	0.02A	2.4W	Indoor/Outdoor
LED-BI-50/2N3AXX	120V	R/G/Y/B/W/WW/P	50	4"/4"	0.04A	4.8W	Indoor/Outdoor
LED-BI-70/2N3AXX	120V	R/G/Y/B/W/WW/P	70	4"/4"	0.04A	4.8W	Indoor/Outdoor
LED-BI-75/3N3AXX	120V	R/G/Y/B/W/WW/P	75	4"/4"	0.06A	7.2W	Indoor/Outdoor
LED-BI-100/4N3AXX	120V	R/G/Y/B/W/WW/P	100	4"/4"	0.08A	9.6W	Indoor/Outdoor
LED-BI-105/3N3AXX	120V	R/G/Y/B/W/WW/P	105	4"/4"	0.06A	7.2W	Indoor/Outdoor
LED-BI-125/5N3AXX	120V	R/G/Y/B/W/WW/P	125	4"/4"	0.1A	12W	Indoor/Outdoor
LED-BI-140/4N3AXX	120V	R/G/Y/B/W/WW/P	140	4"/4"	0.08A	9.6W	Indoor/Outdoor
LED-BI-150/6N3AXX	120V	R/G/Y/B/W/WW/P	150	4"/4"	0.12A	14.4W	Indoor/Outdoor
LED-BI-175/5N3AXX	120V	R/G/Y/B/W/WW/P	175	4"/4"	0.1A	12W	Indoor/Outdoor
LED-BI-210/6N3AXX	120V	R/G/Y/B/W/WW/P	210	4"/4"	0.12A	14.4W	Indoor/Outdoor

LED Replaceable net light UL 588



Item No	Voltage	LED color	No.Of LEDs	size (L*H)	current	watts	Application
LED-BN-70/2N3AXX	120V	R/G/Y/B/W/WW/P	75	4*3FT	0.04A	4.8W	Indoor/Outdoor
LED-BN-105/3N3AXX	120V	R/G/Y/B/W/WW/P	105	4*5FT	0.06A	7.2W	Indoor/Outdoor
LED-BN-140/4N3AXX	120V	R/G/Y/B/W/WW/P	140	4*6FT	0.08A	9.6W	Indoor/Outdoor
LED-BN-175/5N3AXX	120V	R/G/Y/B/W/WW/P	175	4*8FT	0.1A	12W	Indoor/Outdoor
LED-BN-210/6N3AXX	120V	R/G/Y/B/W/WW/P	210	4*10FT	0.12A	14.4W	Indoor/Outdoor

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





LED-DD -100-15M-12V

LENGTH **15m**
NO.OF LED **100PCS**
VOLTAGE **12V**
POWER **15W**
LED SPACING **15cm**

LED-DD -666-100M-12V


LENGTH **100m**
NO.OF LED **666PCS**
VOLTAGE **12V**
POWER **80W**
LED SPACING **15cm**

LED-DD -333-50M-12V

LENGTH **50m**
NO.OF LED **333PCS**
VOLTAGE **12V**
POWER **50W**
LED SPACING **15cm**



Product line diagram



LED clip light PRO 12V

**LED-DD-XXX-XXXM
-12V-RGB**

RGB LED

**LED-DD-XXX-XXXM
-12V-W**

□ WHITE LED

**LED-DD-XXX-XXXM
-12V-WW**

■ WARM WHITE LED

**LED-DD-XXX-XXXM
-12V-Y**

■ YELLOW LED

**LED-DD-XXX-XXXM
-12V-B**

■ BLUE LED

**LED-DD-XXX-XXXM
-12V-P**

■ PINK LED

**LED-DD-XXX-XXXM
-12V-R**


■ RED LED

**LED-DD-XXX-XXXM
-12V-G**

■ GREEN LED


**LED-DD-XXX-XXXM
-12V-V**

■ VIOLET LED




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED BELT LIGHT


LED BELT LIGHT(E27)



LED BELT LIGHT(B22)



Product line diagram



BH-25-25M-230V-E27

LENGTH **25m**
VOLTAGE **230V**
NO. OF LAMP HOLDER **25PCS**
SPACE BETWEEN **100cm**
CABLE **HO5RNH2-F 2*1.5MM2**
MAX.POWER **2500W**

BH-125-50M-230V-E27


LENGTH **50m**
VOLTAGE **230V**
NO. OF LAMP HOLDER **125PCS**
SPACE BETWEEN **40cm**
CABLE **HO5RNH2-F 2*1.5MM2**
MAX.POWER **2500W**

BH-100-100M-230V-E27

LENGTH **100m**
VOLTAGE **230V**
NO. OF LAMP HOLDER **100PCS**
SPACE BETWEEN **100cm**
CABLE **HO5RNH2-F 2*1.5MM2**
MAX.POWER **2500W**



Product line diagram



BH-25-25M-230V-B22

LENGTH **25m**
VOLTAGE **230V**
NO. OF LAMP HOLDER **25PCS**
SPACE BETWEEN **100cm**
CABLE **HO5RNH2-F 2*1.5MM2**
MAX.POWER **2500W**

BH-125-50M-230V-B22

LENGTH **50m**
VOLTAGE **230V**
NO. OF LAMP HOLDER **125PCS**
SPACE BETWEEN **40cm**
CABLE **HO5RNH2-F 2*1.5MM2**
MAX.POWER **2500W**


BH-100-100M-230V-B22

LENGTH **100m**
VOLTAGE **230V**
NO. OF LAMP HOLDER **100PCS**
SPACE BETWEEN **100cm**
CABLE **HO5RNH2-F 2*1.5MM2**
MAX.POWER **2500W**



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the Led light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the Led light output.

Image and drawing are for demonstration purposes only.



LED BULB

BN-E27-G45-230V

LAMP HOLDER **E27/B22**
POWER **1W**
VOLTAGE **230V**
NO.OF LED **5PCS**
EMITTING COLOR **R/G/Y/B/W/WW**



BN-E27-G50-230V

LAMP HOLDER **E27/B22**
POWER **1W**
VOLTAGE **230V**
NO.OF LED **18PCS/12PCS**
EMITTING COLOR **R/G/Y/B/W/WW**



BN-E27-G100-230V

LAMP HOLDER **E27/B22**
POWER **1W**
VOLTAGE **230V**
NO.OF LED **18PCS**
EMITTING COLOR **R/G/Y/B/W/WW**



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



LED FLASH BULB

BN-E27-12L-FLASH-230V

LAMP HOLDER **E27/B22**
POWER **2W**
VOLTAGE **230V**
NO.OF LED **12PCS**



BN-OVAL-12L-FLASH-230V

POWER **2W**
VOLTAGE **230V**
NO.OF LED **12PCS**



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

BN-E27-1L-FLASH-230V

LAMP HOLDER **E27/B22**
POWER **2W**
VOLTAGE **230V**
LUMINOTRON **1PC**



BN-OVAL-1L-FLASH-230V

POWER **2W**
VOLTAGE **230V**
LUMINOTRON **1PC**





Image and drawing are for demonstration purposes only.




BeatiNeon

LED SNOWFALL TUBE


LOW VOLTAGE TUBE SNOWFALL LIGHT -Ø12mm

LED-BT-0.2M*10-Ø12-12V



LENGTH **0.2M x10PCS**
VOLTAGE **12V**
POWER **15W**
NO.OF LED **32pcsx10 (2835)**
STRING DISTANCE **50CM**


LED-BT-0.8M*5-Ø12-12V



LENGTH **0.8M x5PCS**
VOLTAGE **12V**
POWER **15W**
NO.OF LED **96pcsx25 (2835)**
STRING DISTANCE **50CM**




LED-BT-0.5M*5-Ø12-12V




LENGTH **0.5M x5PCS**
VOLTAGE **12V**
POWER **10W**
NO.OF LED **72pcsx5 (2835)**
STRING DISTANCE **50CM**

LED-BT-1M*5-Ø12-12V




LENGTH **1M x5PCS**
VOLTAGE **12V**
POWER **15W**
NO.OF LED **120pcsx10 (2835)**
STRING DISTANCE **50CM**



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




LOW VOLTAGE TUBE SNOWFALL LIGHT -Ø23mm

Product line diagram



LED SNOWFALL STRING LIGHT

Product line diagram



LED-BT-0.6M-Ø23-230V

LENGTH **0.6M**
POWER **1.5W**
VOLTAGE **230V**
NO.OF LED **60PCS(2835)**
EMITTING COLOR **R/G/Y/B/W/WW**

LED-BT-0.8M-Ø23-230V

LENGTH **0.8M**
POWER **1.5W**
VOLTAGE **230V**
NO.OF LED **96PCS(2835)**
EMITTING COLOR **R/G/Y/B/W/WW**

LED-BT-1M-Ø23-230V

LENGTH **1M**
POWER **1.5W**
VOLTAGE **230V**
NO.OF LED **96PCS(2835)**
EMITTING COLOR **R/G/Y/B/W/WW**



LED-BX-320-4*0.5M-24V


LENGTH **4*0.5M**
VOLTAGE **24V**
POWER **8W**
NO.OF LED **64pcsx5**
STRING DISTANCE **100CM**

LED-BX-640-4*1M-24V

LENGTH **4*1M**
VOLTAGE **24V**
POWER **8W**
NO.OF LED **120pcsx5**
STRING DISTANCE **100CM**


Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



BeatiNeon

LED ROPE LIGHT



LED ROPE LIGHT



2- WIRES LED ROPE LIGHT -Ø10mm

LED-BNM-2W-100M-12V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **12V**
POWER **2.16W/M**
LED SPACING **2.78cm**

LED-BNM-2W-100M-24V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **24V**
POWER **2.16W/M**
LED SPACING **2.78cm**

LED-BNM-2W-100M-120V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **100-120V**
POWER **1.8W/M**
LED SPACING **2.78cm**

LED-BNM-2W-100M-230V


LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **220-240V**
POWER **3.5W/M(1M/unit) OR 1.75W/M(2M/unit)**
LED SPACING **2.78cm**

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



PRODUCT LINE DIAGRAM



LED ROPE LIGHT

LED-BNM-2W-XXXM-XXXV-M

R+G+Y+B LED

LED-BNM-2W-XXXM-XXXV-Y

YELLOW LED

LED-BNM-2W-XXXM-XXXV-R

RED LED

LED-BNM-2W-XXXM-XXXV-W

WHITE LED

LED-BNM-2W-XXXM-XXXV-B

BLUE LED

LED-BNM-2W-XXXM-XXXV-G

GREEN LED

LED-BNM-2W-XXXM-XXXV-WW

WARM WHITE LED

LED-BNM-2W-XXXM-XXXV-P

PINK LED

LED-BNM-2W-XXXM-XXXV-V

VIOLET LED


Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



2- WIRES LED ROPE LIGHT -Ø13mm

PRODUCT LINE DIAGRAM



LED-BN -2W-100M-12V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **12V**
POWER **2.16W/M**
LED SPACING **2.78cm**

LED-BN -2W-100M-24V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **24V**
POWER **2.16W/M**
LED SPACING **2.78cm**



LED-BN -2W-100M-120V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **100-120V**
POWER **1.8W/M**
LED SPACING **2.78cm**

LED-BN -2W-100M-230V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **220-240V**
POWER **3.5W/M(1M/unit) OR 1.75W/M(2M/unit)**
LED SPACING **2.78cm**

LED ROPE LIGHT

LED-BN-2W-XXXM -XXXV-M

R+G+Y+B LED

LED-BN-2W-XXXM -XXXV-Y

YELLOW LED

LED-BN-2W-XXXM -XXXV-R

RED LED

LED-BN-2W-XXXM -XXXV-W

WHITE LED

LED-BN-2W-XXXM -XXXV-B

BLUE LED

LED-BN-2W-XXXM -XXXV-G

GREEN LED

LED-BN-2W-XXXM -XXXV-WW

WARM WHITE LED

LED-BN-2W-XXXM -XXXV-P

PINK LED

LED-BN-2W-XXXM -XXXV-V

VIOLET LED

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



3- WIRES LED ROPE LIGHT -Ø13mm

PRODUCT LINE DIAGRAM



LED-BN -3W-100M-12V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **12V**
POWER **2.16W/M**
LED SPACING **2.78cm**

LED-BN -3W-100M-24V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **24V**
POWER **2.16W/M**
LED SPACING **2.78cm**



LED-BN -3W-100M-120V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **100-120V**
POWER **1.8W/M**
LED SPACING **2.78cm**

LED-BN -3W-100M-230V

LENGTH **1-100m**
NO.OF LED **36PCS/M**
VOLTAGE **220-240V**
POWER **3.5W/M(2M/unit) OR 1.75W/M(4M/unit)**
LED SPACING **2.78cm**

LED ROPE LIGHT

LED-BN-3W-XXXM -XXXV-M

R+G+Y+B LED

LED-BN-3W-XXXM -XXXV-Y

YELLOW LED

LED-BN-3W-XXXM -XXXV-R

RED LED

LED-BN-3W-XXXM -XXXV-W

WHITE LED

LED-BN-3W-XXXM -XXXV-B

BLUE LED

LED-BN-3W-XXXM -XXXV-G

GREEN LED

LED-BN-3W-XXXM -XXXV-WW

WARM WHITE LED

LED-BN-3W-XXXM -XXXV-P

PINK LED

LED-BN-3W-XXXM -XXXV-V

VIOLET LED


Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



ACCESSORILES


TYPE:1



TYPE:2




TYPE:3



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





BeatiNeon

LED STRIP LIGHT WITH BULB

LED-BM-180-10M-12V

LENGTH **10m**
NO.OF LED **18PCS/M**
VOLTAGE **12V**
POWER **7W/M**
LED SPACING **5.55cm**
COLOR **RGB/R/G/Y/B/P/W/WW**

LED-BM-XXX-XXM
-12V-W

□ WHITE LED

LED-BM-XXX-XXM
-12V-WW

■ WARM WHITE LED

LED-BM-XXX-XXM
-12V-Y

■ YELLOW LED

LED-BM-XXX-XXM
-12V-B

■ BLUE LED

LED-BM-XXX-XXM
-12V-R

■ RED LED

LED-BM-XXX-XXM
-12V-G



■ GREEN LED

LED-BM-XXX-XXM
-12V-P

■ PINK LED

LED-BM-XXX-XXM
-12V-RGB

RGB LED



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.


Image and drawing are for demonstration purposes only.



2835-60

LED STRIP LIGHT (12*7mm)

PRODUCT LINE DIAGRAM



LED-BN2835

-60L-100M-120V

LENGTH **1-100m**
NO.OF LED **60PCS/M**
VOLTAGE **100-120V**
POWER **3.6W/M**
LED SPACING **1.66cm**

LED-BN2835

-60L-100M-230V

LENGTH **1-100m**
NO.OF LED **60PCS/M**
VOLTAGE **220-240V**
POWER **3.5W/M**
LED SPACING **1.66cm**

LED ROPE LIGHT

LED-BN2835-60W-XXM

-XXXV-W

WHITE LED

LED-BN2835-60W-XXM

-XXXV-Y

YELLOW LED

LED-BN2835-60W-XXM

-XXXV-R

RED LED

LED-BN2835-60W-XXM

-XXXV-P

PINK LED

LED-BN2835-60W-XXM

-XXXV-WW

WARM WHITE LED

LED-BN2835-60W-XXM

-XXXV-B

BLUE LED

LED-BN2835-60W-XXM

-XXXV-G

GREEN LED

LED-BN2835-60W-XXM

-XXXV-V

VIOLET LED

2835-144

LED STRIP LIGHT (15.5*7.5mm)



LED-BN2835

-144L-100M-120V

LENGTH **1-100m**
NO.OF LED **144PCS/M**
VOLTAGE **100-120V**
POWER **6W/M**
LED SPACING **0.55cm**



LED-BN2835

-144L-100M-230V

LENGTH **1-100m**
NO.OF LED **144PCS/M**
VOLTAGE **220-240V**
POWER **5.8W/M**
LED SPACING **0.55cm**



LED-BN5050-2W-PC



LED-BN5050-2W-EC



LED-BN5050-2W-SC



LED-BN5050-2W-MC

LED ROPE LIGHT

LED-BN2835-144L-XXM

-XXXV-W

WHITE LED

LED-BN2835-144L-XXM

-XXXV-Y

YELLOW LED

LED-BN2835-144L-XXM

-XXXV-R

RED LED

LED-BN2835-144L-XXM

-XXXV-P

PINK LED

LED-BN2835-144L-XXM

-XXXV-WW

WARM WHITE LED

LED-BN2835-144L-XXM

-XXXV-B

BLUE LED

LED-BN2835-144L-XXM

-XXXV-G

GREEN LED


LED-BN2835-144L-XXM

-XXXV-V

VIOLET LED


Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




2835-180

LED STRIP LIGHT (17.5*7.5mm)



LED-BN2835 -180L-100M-120V

LENGTH **1-100m**
NO.OF LED **180PCS/M**
VOLTAGE **100-120V**
POWER **6W/M**
LED SPACING **1.11cm**



LED-BN2835 -180L-100M-230V

LENGTH **1-100m**
NO.OF LED **180PCS/M**
VOLTAGE **220-240V**
POWER **5.8W/M**
LED SPACING **1.11cm**



LED-BN5730-PC



LED-BN5730-EC



LED-BN5730
-2W-MC

LED ROPE LIGHT

LED-BN2835-180L-XXM -XXXV-W

WHITE LED

LED-BN2835-180L-XXM -XXXV-Y

YELLOW LED

LED-BN2835-180L-XXM -XXXV-R

RED LED

LED-BN2835-180L-XXM -XXXV-P

PINK LED

LED-BN2835-180L-XXM -XXXV-WW

WARM WHITE LED

LED-BN2835-180L-XXM -XXXV-B

BLUE LED

LED-BN2835-180L-XXM -XXXV-G


GREEN LED

LED-BN2835-180L-XXM -XXXV-V

VIOLET LED

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




5730-120

LED STRIP LIGHT (17.5*7.5mm)



LED-BN5730 -120L-100M-120V

LENGTH **1-100m**
NO.OF LED **120PCS/M**
VOLTAGE **100-120V**
POWER **6W/M**
LED SPACING **0.55cm**



LED-BN5730 -120L-100M-230V

LENGTH **1-100m**
NO.OF LED **120PCS/M**
VOLTAGE **220-240V**
POWER **5.8W/M**
LED SPACING **0.55cm**



LED-BN5730-PC



LED-BN5730-EC



LED-BN5050
-2W-MC

LED ROPE LIGHT

LED-BN5730-120L-XXM -XXXV-W

WHITE LED

LED-BN2835-144L-XXM -XXXV-WW

WARM WHITE LED

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




5050-60
LED STRIP LIGHT (15.5*7.5mm)




LED-BN5050
-60L-100M-120V

LENGTH **1-100m**
NO.OF LED **60PCS/M**
VOLTAGE **100-120V**
POWER **7.2W/M**
LED SPACING **1.66cm**



LED-BN5050
-60L-100M-230V

LENGTH **1-100m**
NO.OF LED **60PCS/M**
VOLTAGE **220-240V**
POWER **6.9W/M**
LED SPACING **1.66cm**



LED ROPE LIGHT


LED-BN5050-60L-XXM-XXXV-Y
■ YELLOW LED
LED-BN5050-60L-XXM-XXXV-B
■ BLUE LED
LED-BN5050-60L-XXM-XXXV-P
■ PINK LED

LED-BN5050-60L-XXM-XXXV-R
■ RED LED
LED-BN5050-60L-XXM-XXXV-G
■ GREEN LED


LED-BN5050-60L-XXM-XXXV-W
□ WHITE LED
TRANSPARENT CABLE
LED-BN5050-60L-XXM-XXXV-WW
■ WARM WHITE LED
TRANSPARENT CABLE

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




5050-60-RGB
LED STRIP LIGHT (15.5*7.5mm)




LED-BN5050
-60L-100M-120V-RGB

LENGTH **1-100m**
NO.OF LED **60PCS/M**
VOLTAGE **100-120V**
POWER **7.2W/M**
LED SPACING **1.66cm**



LED-BN5050
-60L-100M-230V-RGB

LENGTH **1-100m**
NO.OF LED **60PCS/M**
VOLTAGE **220-240V**
POWER **6.9W/M**
LED SPACING **0.55cm**




LED ROPE LIGHT

LED-BN5050-60L-XXM-XXXV-RGB
RGB LED

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





BN-16001 SIZE 80*80CM
VOLTAGE 230V POWER 10.5W



BN-16006 SIZE 80*69CM
VOLTAGE 230V POWER 24.5W



BN-16007 SIZE 90*90CM
VOLTAGE 230V POWER 31.5W



BN-16008 SIZE 80*69CM
VOLTAGE 230V POWER 24.5W



BN-16032 SIZE 70*52CM
VOLTAGE 230V POWER 10.5W



BN-16035 SIZE 70*68CM
VOLTAGE 230V POWER 10.5W



BN-16039 SIZE 60*44CM
VOLTAGE 230V POWER 10.5W



BN-16041 SIZE 50*40CM
VOLTAGE 230V POWER 7W



BN-16010 SIZE 55*48CM
VOLTAGE 230V POWER 10.5W



BN-16011 SIZE 50*50CM
VOLTAGE 230V POWER 10.5W



BN-16013 SIZE 60*60CM
VOLTAGE 230V POWER 17.5W



BN-16014 SIZE 70*61CM
VOLTAGE 230V POWER 14W



BN-16044 SIZE 40*41CM
VOLTAGE 230V POWER 3.5W



BN-16046 SIZE 70*50CM
VOLTAGE 230V POWER 7W



BN-16053 SIZE 40*20CM
VOLTAGE 230V POWER 3.5W



BN-16055 SIZE 155*150CM
VOLTAGE 230V POWER 14W



BN-16015 SIZE 70*61CM
VOLTAGE 230V POWER 14W



BN-16016 SIZE 60*60CM
VOLTAGE 230V POWER 14W



BN-16017 SIZE 60*60CM
VOLTAGE 230V POWER 14W



BN-16018 SIZE 60*52CM
VOLTAGE 230V POWER 14W



BN-16056 SIZE 100*71CM
VOLTAGE 230V POWER 21W



BN-16060 SIZE 48*58CM
VOLTAGE 230V POWER 10.5W



BN-16062 SIZE 60*52CM
VOLTAGE 230V POWER 10.5W



BN-16063 SIZE 85*65CM
VOLTAGE 230V POWER 10.5W



BN-16019 SIZE 70*64CM
VOLTAGE 230V POWER 17.5W



BN-16021 SIZE 60*52CM
VOLTAGE 230V POWER 14W



BN-16023 SIZE 50*44CM
VOLTAGE 230V POWER 10.5W



BN-16031 SIZE 55*44CM
VOLTAGE 230V POWER 10.5W



BN-16064 SIZE 45*53CM
VOLTAGE 230V POWER 7W

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond this it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





BN-16067 SIZE 200*89CM
VOLTAGE 230V POWER 38.5W




BN-16069 SIZE 200*88CM
VOLTAGE 230V POWER 28W



BN-16071 SIZE 200*75CM
VOLTAGE 230V POWER 31.5W



BN-16077 SIZE 200*88CM
VOLTAGE 230V POWER 28W



BN-16098 SIZE 180*85CM
VOLTAGE 230V POWER 38.5W



BN-16102 SIZE 200*91CM
VOLTAGE 230V POWER 46W



BN-16083 SIZE 200*74CM
VOLTAGE 230V POWER 24.5W



BN-16085 SIZE 160*50CM
VOLTAGE 230V POWER 21W



BN-16093 SIZE 200*146CM
VOLTAGE 230V POWER 46W



BN-16097 SIZE 180*98CM
VOLTAGE 230V POWER 52.5W



BN-16106 SIZE 300*62CM
VOLTAGE 230V POWER 42W



BN-16107 SIZE 330*83CM
VOLTAGE 230V POWER 49W


Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





BN-16108 SIZE 650*82CM
VOLTAGE 230V POWER 95W



BN-16109 SIZE 350*92CM
VOLTAGE 230V POWER 52.5W



BN-16110 SIZE 350*70CM
VOLTAGE 230V POWER 63W



BN-16111 SIZE 300*84CM
VOLTAGE 230V POWER 66.5W



BN-16114 SIZE 350*76CM
VOLTAGE 230V POWER 70W

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



BN-16115 SIZE 300*83CM
VOLTAGE 230V POWER 70W



BN-16116 SIZE 300*83CM
VOLTAGE 230V POWER 130W



BN-16120 SIZE 300*155CM
VOLTAGE 230V POWER 130W




BN-16121 SIZE 350*114CM
VOLTAGE 230V POWER 95W



BN-16114 SIZE 350*76CM
VOLTAGE 230V POWER 70W

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.






BN-16124-6M SIZE $\varnothing 240^{\circ}600\text{CM}$
VOLTAGE 230V POWER 530W

BN-16124-8M SIZE $\varnothing 320^{\circ}800\text{CM}$
VOLTAGE 230V POWER 750W

BN-16124-10M SIZE $\varnothing 400^{\circ}1000\text{CM}$
VOLTAGE 230V POWER 1000W



BN-16125-6M SIZE $\varnothing 240^{\circ}600\text{CM}$
VOLTAGE 230V POWER 570W

BN-16125-8M SIZE $\varnothing 320^{\circ}800\text{CM}$
VOLTAGE 230V POWER 800W

BN-16125-10M SIZE $\varnothing 400^{\circ}1000\text{CM}$
VOLTAGE 230V POWER 1000W



BN-16126-6M SIZE $\varnothing 240^{\circ}600\text{CM}$
VOLTAGE 24V POWER 2400W

BN-16126-8M SIZE $\varnothing 320^{\circ}800\text{CM}$
VOLTAGE 24V POWER 420W

BN-16126-10M SIZE $\varnothing 400^{\circ}1000\text{CM}$
VOLTAGE 24V POWER 630W



BN-16127-1.2M SIZE $\varnothing 50^{\circ}120\text{CM}$
VOLTAGE 230V POWER 32W

BN-16127-1.8M SIZE $\varnothing 70^{\circ}180\text{CM}$
VOLTAGE 230V POWER 56W

BN-16127-2.5M SIZE $\varnothing 100^{\circ}1250\text{CM}$
VOLTAGE 230V POWER 100W



BN-16129 SIZE $\varnothing 93^{\circ}220\text{CM}$
VOLTAGE 24V POWER 200W

BN-16130 SIZE $\varnothing 93^{\circ}220\text{CM}$
VOLTAGE 24V POWER 200W



BN-16131 SIZE $\varnothing 420^{\circ}600\text{CM}$
VOLTAGE 230V POWER 850W



BN-16132 SIZE $\varnothing 160^{\circ}250\text{CM}$
VOLTAGE 230V POWER 140W



BN-16133 SIZE $210^{\circ}210^{\circ}300\text{CM}$
VOLTAGE 230V POWER 210W



BN-16137 SIZE $350^{\circ}350^{\circ}89\text{CM}$
VOLTAGE 230V POWER 250W



BN-16137 SIZE $240^{\circ}240^{\circ}220\text{CM}$
VOLTAGE 230V POWER 190W



BN-16139 SIZE $150^{\circ}150^{\circ}85\text{CM}$
VOLTAGE 230V POWER 195W



BN-16141 SIZE $\varnothing 80\text{CM}$
VOLTAGE 230V POWER 35W



BN-16142-0.8M SIZE $\varnothing 80\text{CM}$
VOLTAGE 230V POWER 25.5W

BN-16142-1M SIZE $\varnothing 100\text{CM}$
VOLTAGE 230V POWER 60W



BN-16145 SIZE 250CM
VOLTAGE 230V POWER 210W



BN-16139 SIZE $118^{\circ}30^{\circ}180\text{CM}$
SIZE $155^{\circ}70^{\circ}91\text{CM}$
VOLTAGE 230V POWER 280W



BN-16149 SIZE 450CM
VOLTAGE 230V POWER 280W



BN-16148 SIZE 450CM
VOLTAGE 230V POWER 280W



BN-16150 SIZE 200CM
VOLTAGE 230V POWER 100W



BN-16152-0.7M SIZE $60^{\circ}60^{\circ}70\text{CM}$
VOLTAGE 230V POWER 42W

BN-16152-1M SIZE $80^{\circ}80^{\circ}100\text{CM}$
VOLTAGE 230V POWER 60W

BN-16152-1.2M SIZE $90^{\circ}90^{\circ}120\text{CM}$
VOLTAGE 230V POWER 80W



BN-16153 SIZE $80^{\circ}30^{\circ}120\text{CM}$
VOLTAGE 230V POWER 120W


Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that it is not possible to ensure the LED light output.


Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.







BN-18001 SIZE 400*50*380CM
VOLTAGE 24V POWER 230W



BN-18003 SIZE 150*150*280CM
VOLTAGE 24V+12V POWER 450W



BN-18002 SIZE 105*20*250CM
VOLTAGE 24V POWER 140W




BN-18004 SIZE 95*20*250CM
VOLTAGE 24V POWER 60W



BN-18007 SIZE 90*120CM
VOLTAGE 230V POWER 49W

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.



Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.





BN-18005 SIZE 215*280CM
VOLTAGE 230V POWER 102W



BN-18006 SIZE 120*120CM
VOLTAGE 230V POWER 52.5W



BN-18008 SIZE 72*100CM
VOLTAGE 230V POWER 49W



BN-18009 SIZE 60*110CM
VOLTAGE 230V POWER 28W



BN-18011 SIZE 360*360*500CM
VOLTAGE 230V POWER 144W



BN-18010-2M SIZE 200*25*200CM
VOLTAGE 230V

BN-18010-1.2M SIZE 120*20*120CM
VOLTAGE 230V

BN-18010-0.6M SIZE 60*10*60CM
VOLTAGE 230V



BN-18012 SIZE 300*300*300CM
VOLTAGE 24V



BN-18013 SIZE 325*325*300CM
VOLTAGE 230V



BN-18016 SIZE 225*225*400CM
VOLTAGE 230V



BN-18015 SIZE φ80CM
VOLTAGE 230V



BN-18017 SIZE 330*100*300CM
VOLTAGE 230V




BN-18019 SIZE 120*80CM
VOLTAGE 230V



BN-18021 SIZE 150*150CM
VOLTAGE 230V



BN-18018 SIZE 100*20*120CM
VOLTAGE 230V



BN-18020 SIZE 100*100CM
VOLTAGE 230V



BN-18014 SIZE 210*50*200CM
VOLTAGE 230V

Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.




Extensibility means the maximum number of products that can be installed in line with a single power supply. Beyond that, it is not possible to ensure the LED light output.

Image and drawing are for demonstration purposes only.






BP-013(EUROPE TYPE)
HO3RN-F 2X0.75-1.0m
HO3RN-F 2X0.75-1.0m
16A 250V



BP-014(EUROPE TYPE)
HO3VVH2-F 2X0.75m
HO5VVH2-F 2X0.75m
16A 250V



BP-015(EUROPE TYPE)
HO3VVH2-F 2X0.75m
HO5VVH2-F 2X0.75m
2.5A 250V




BP-016(AUSTRALIA)
HO3VVH2-F 2X0.75m
HO3VVH2-F 2X0.75-1.0m
7.5A 250V




BP-017(AUSTRALIA)
HO3VV-F 3X0.75m
HO3VV-F 3X0.75-1.0m
7.5A 250V



BP-018(EUROPE TYPE)
HO3VV-F 2X0.75m
HO5VV-F 2X0.75-1.0m
10A/16A 250V




BP-019(MIDDLE EAST)
HO5RN-F 2X0.75-1.0m
HO5VVH2-F 2X1.0m
10A-16A 250V



BP-020(BRITISH STANDARD)
HO3VV-F 3X0.75-1.5m
HO5VV-F 3X0.75-1.5m
3A/5A/13A 250V




JY13-A
HO3RN-F 2X0.75-1.0m
HO5RN-F 2X0.75-1.0m
13A 250V



BP-023 (JAPAN)
VFF/HVFF 2X0.75-1.0mm²
HVCTFK 2X0.75-1.0mm²
7A 125V

BP-023(JAPAN)
VF/HVF 2X0.75-1.0m
HVCTFK 2X0.75-1.0m
7A 125V



BP-021 (AMERIC TYPE)
SPT-1 2X18AWG
SPT-2 2X18AWG
10A 250V

BP-021(AMERIC TYPE)
SPT-1 2X18AWG
SPT-2 2X18AWG
10A 250V

BeatiNeon

